

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	25	("380"/\$.ccls. or "709"/\$.ccls. or "713"/\$.ccls. or "726"/\$.ccls.) and ((\$crypt\$ or \$cipher\$) with ((chunk\$ or block or "information pieces" or (data adj0 (byte\$ or unit or units))) and (chain\$ or recurs\$ or iterat\$)) and ((insert\$ or embed\$ or create or generate\$) with (key or seed or prn or "random number")))) and sequence and (steganograph\$ or watermark\$) and @ad<"20011022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/09 16:36
L2	6	("380"/\$.ccls. or "709"/\$.ccls. or "713"/\$.ccls. or "726"/\$.ccls.) and ((\$crypt\$ or \$cipher\$) with ((chunk\$ or block or "information pieces" or (data adj0 (byte\$ or unit or units))) and (chain\$ or recurs\$ or iterat\$)) and ((insert\$ or embed\$ or create or generate\$) with (key or seed or prn or "random number")))) and sequence and (steganograph\$ or watermark\$) and @ad<"20011022"	US-PGPUB	OR	OFF	2006/08/09 16:36
L3	8	(((\$crypt\$ or \$cipher\$) with ((chunk\$ or block or "information pieces" or (data adj0 (byte\$ or unit or units))) and (chain\$ or recurs\$ or iterat\$)) and ((insert\$ or embed\$ or create or generate\$) with (key or seed or prn or "random number")))) and sequence and (steganograph\$ or watermark\$) and @ad<"20011022"	US-PGPUB	OR	OFF	2006/08/09 16:37
L4	38	(((\$crypt\$ or \$cipher\$) with ((chunk\$ or block or "information pieces" or (data adj0 (byte\$ or unit or units))) and (chain\$ or recurs\$ or iterat\$)) and ((insert\$ or embed\$ or create or generate\$) with (key or seed or prn or "random number")))) and sequence and (steganograph\$ or watermark\$)	US-PGPUB	OR	OFF	2006/08/09 16:37
L5	38	(((\$crypt\$ or \$cipher\$) with ((chunk\$ or block or "information pieces" or (data adj0 (byte\$ or unit or units))) and (chain\$ or recurs\$ or iterat\$)) and ((insert\$ or embed\$ or create or generate\$) with (key or seed or prn or "random number")))) and sequence and (steganograph\$ or watermark\$)	US-PGPUB	OR	OFF	2006/08/09 16:38

EAST Search History

L6	28	((crypt\$ or cipher\$) with ((chunk\$ or block or "information pieces" or (data adj0 (byte\$ or unit or units))) and (chaining or chained or recurs\$ or iterat\$)) and ((inserting or inserted or insert or embed\$ or create or generate\$) with (key or seed or prn or "random number")))) and sequence and (steganograph\$ or watermark\$)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/08/09 16:40
L7	22	((crypt\$ or cipher\$) with ((chunk\$ or block or "information pieces" or (data adj0 (byte\$ or unit or units))) and (chaining or chained or recurs\$ or iterat\$)) and ((inserting or inserted or insert or embed\$ or create or generate\$) with (key or seed or prn or "random number")))) and sequence and (steganograph\$ or watermark\$)	US-PGPUB	OR	OFF	2006/08/09 16:40
S1	865	("380"/\$.ccls. or "709"/\$.ccls. or "713"/\$.ccls. or "726"/\$.ccls.) and ((crypt\$ or cipher\$) and (block or "information pieces" or (data adj1 (byte\$ or unit or units))) and key and seed) and @ad<"20011022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 16:43
S2	462	("380"/\$.ccls. or "709"/\$.ccls. or "713"/\$.ccls. or "726"/\$.ccls.) and ((crypt\$ or cipher\$) with (block or "information pieces" or (data adj1 (byte\$ or unit or units))) and key and seed) and @ad<"20011022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 16:45
S3	462	("380"/\$.ccls. or "709"/\$.ccls. or "713"/\$.ccls. or "726"/\$.ccls.) and ((crypt\$ or cipher\$) with (block or "information pieces" or (data adj0 (byte\$ or unit or units))) and key and seed) and @ad<"20011022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 16:55
S4	550	("380"/\$.ccls. or "709"/\$.ccls. or "713"/\$.ccls. or "726"/\$.ccls.) and ((crypt\$ or cipher\$) with (block or "information pieces" or (data adj0 (byte\$ or unit or units))) and (generat\$ with (key or seed)) and chain\$) and @ad<"20011022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 17:41
S5	245	("380"/\$.ccls. or "709"/\$.ccls. or "713"/\$.ccls. or "726"/\$.ccls.) and ((crypt\$ or cipher\$) with ((block or "information pieces" or (data adj0 (byte\$ or unit or units))) with chain\$) and (generat\$ with (key or seed))) and @ad<"20011022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 09:08

EAST Search History

S6	7	("380"/\$.ccls. or "709"/\$.ccls. or "713"/\$.ccls. or "726"/\$.ccls.) and ((\$crypt\$ or \$cipher\$) with ((block or "information pieces" or (data adj0 (byte\$ or unit or units))) with chain\$ with (sequence or sequential or ordered)) and (generat\$ with (key or seed))) and @ad<"20011022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 10:06
S7	3	("380"/\$.ccls. or "709"/\$.ccls. or "713"/\$.ccls. or "726"/\$.ccls.) and ((\$crypt\$ or \$cipher\$) with ((block or "information pieces" or (data adj0 (byte\$ or unit or units))) with chain\$) and (generat\$ with (key or seed))) and watermark\$ and @ad<"20011022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 10:10
S8	46	("380"/\$.ccls. or "709"/\$.ccls. or "713"/\$.ccls. or "726"/\$.ccls.) and ((\$crypt\$ or \$cipher\$) with ((block or "information pieces" or (data adj0 (byte\$ or unit or units))) with chain\$) and (generat\$ with (key or seed))) and (dividing or sectioning or segmenting) and @ad<"20011022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 13:35
S9	2	"6353672".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 13:24
S12	2	"20020073326".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 13:28
S13	11	("380"/\$.ccls. or "709"/\$.ccls. or "713"/\$.ccls. or "726"/\$.ccls.) and ((\$crypt\$ or \$cipher\$) with ((segment\$ or chunk\$ or block or "information pieces" or (data adj0 (byte\$ or unit or units))) same chain\$) and ((recursiv\$ or embedded) same generat\$ with (key or seed))) and (dividing or sectioning or segmenting) and @ad<"20011022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 13:41

EAST Search History

S14	14	("380"/\$.ccls. or "709"/\$.ccls. or "713"/\$.ccls. or "726"/\$.ccls.) and ((\$crypt\$ or \$cipher\$) and ((segment\$ or chunk\$ or block or "information pieces" or (data adj0 (byte\$ or unit or units))) same chain\$) and ((recursiv\$ or embedded) same generat\$ with (key or seed))) and (dividing or sectioning or segmenting) and @ad<"20011022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 13:44
S15	173	("380"/\$.ccls. or "709"/\$.ccls. or "713"/\$.ccls. or "726"/\$.ccls.) and ((\$crypt\$ or \$cipher\$) with ((block or "information pieces" or (data adj0 (byte\$ or unit or units))) with chain\$) and (generate\$ with (key or seed))) and sequence and @ad<"20011022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 15:23
S16	9	("380"/\$.ccls. or "709"/\$.ccls. or "713"/\$.ccls. or "726"/\$.ccls.) and ((\$crypt\$ or \$cipher\$) and ((block or "information pieces" or (data adj0 (byte\$ or unit or units))) with chain\$) and (generate\$ with (key or seed))) and sequence and watermark\$ and @ad<"20011022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 15:07
S17	2	"5058164".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 15:14
S18	2	"6011849".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 15:14
S19	2	("380"/\$.ccls. or "709"/\$.ccls. or "713"/\$.ccls. or "726"/\$.ccls.) and ((\$crypt\$ or \$cipher\$) with ((block or "information pieces" or (data adj0 (byte\$ or unit or units))) with chain\$) and (generate\$ with (key or seed))) and sequence and steganograph\$ and @ad<"20011022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 15:34
S20	2	("380"/\$.ccls. or "709"/\$.ccls. or "713"/\$.ccls. or "726"/\$.ccls.) and ((\$crypt\$ or \$cipher\$) and ((block or "information pieces" or (data adj0 (byte\$ or unit or units))) with chain\$) and (generate\$ with (key or seed))) and sequence and steganograph\$ and @ad<"20011022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 15:35

EAST Search History

S21	2	("380"/\$.ccls. or "709"/\$.ccls. or "713"/\$.ccls. or "726"/\$.ccls.) and ((\$crypt\$ or \$cipher\$) and ((chunk\$ or block or "information pieces" or (data adj0 (byte\$ or unit or units))) with chain\$) and ((embed\$ or create or generate\$) with (key or seed or prn))) and sequence and steganograph\$ and @ad<"20011022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 15:38
S22	50	("380"/\$.ccls. or "709"/\$.ccls. or "713"/\$.ccls. or "726"/\$.ccls.) and ((\$crypt\$ or \$cipher\$) and ((chunk\$ or block or "information pieces" or (data adj0 (byte\$ or unit or units))) and chain\$) and ((embed\$ or create or generate\$) with (key or seed or prn))) and sequence and steganograph\$ and @ad<"20011022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 15:47
S23	23	("380"/\$.ccls. or "709"/\$.ccls. or "713"/\$.ccls. or "726"/\$.ccls.) and ((\$crypt\$ or \$cipher\$) with ((chunk\$ or block or "information pieces" or (data adj0 (byte\$ or unit or units))) and (chain\$ or recurs\$ or iterat\$)) and ((insert\$ or embed\$ or create or generate\$) with (key or seed or prn or "random number"))) and sequence and (steganograph\$ or watermark\$) and @ad<"20011022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/09 14:06
S24	2	"5381481".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 16:07
S25	510	("380"/\$.ccls. or "709"/\$.ccls. or "713"/\$.ccls. or "726"/\$.ccls.) and ((\$crypt\$ or \$cipher\$) same ((stream\$ or video or audio or chunk\$ or block or "information pieces" or (data adj0 (byte\$ or unit or units))) and (chain\$ or recurs\$ or iterat\$)) and ((insert\$ or embed\$ or create or generate\$) with (key or seed or prn or "random number"))) and sequence and @ad<"20011022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 16:14

EAST Search History

S26	367	("380"/\$.ccls. or "709"/\$.ccls. or "713"/\$.ccls. or "726"/\$.ccls.) and ((\$crypt\$ or \$cipher\$) with ((stream\$ or video or audio or chunk\$ or block or "information pieces" or (data adj0 (byte\$ or unit or units))) and (chain\$ or recurs\$ or iterat\$)) and ((insert\$ or embed\$ or create or generate\$) with (key or seed or prn or "random number")))) and sequence and @ad<"20011022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/02 10:49
S27	0	("380"/\$.ccls. or "709"/\$.ccls. or "713"/\$.ccls. or "726"/\$.ccls.) and (\$crypt\$ or \$cipher\$) and "6047283".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 16:21
S28	2	"5742686".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/02 10:50